
Replaces John Deere 3225B Reel Mower

Parts







	Roller	um Cutting Unit rs				
	R&R Part No.	OEM Part No.	Description	Qty Req	Orde Quanti	
&R	Rollers					
1	RAET10111	AET10111, AMT2876	Roller - Smooth Tubular Steel	0		
	Tech Note: This tubu	lar steel roller uses grease	able "water-pump" style bearings.:			
2	R1203825		Roller - Fusion Smooth UHMW Polyethylene	0		
	Tech Note: Fusion Rollers combine the best features of our UHMW plastic rollers with a heavy- duty internal bearing system. Machined from solid UHMW plastic that prevents build-up of debris. This roller turns on precision stainless ball bear <click for="" more="" part#="">:</click>					
3	RAET11263	AET11263, AMT2967	Roller - Smooth Tubular Steel	0		
	Tech Note: Constructed with a through shaft, this heavy duty roller uses greasable tapered bearings for extended life.:					
4	RAMT1442	AMT1442, AMT2878	Roller - Smooth Solid Steel	0		
	Tech Note: Machined from solid steel, this heavy weight roller uses greasable "water-pump" style bearings.:					
5	R1203820	1203752	Roller - Fusion Grooved UHMW Polyethylene	0		
	Tech Note: Fusion Rollers combine the best features of our UHMW plastic rollers with a heavy- duty internal bearing system. Machined from solid UHMW plastic that prevents build-up of debris. This roller has a patented deep groove design and <click for="" more="" part#="">:</click>					
6	R68527R		Roller - Grooved Repairable Steel	0		
	Tech Note: Constructed with a through shaft and greasable ball bearings, this roller can be repaired by unscrewing the ends and replacing the series of washers and spacers.:					
7	R500512	AMT2966, BM25317	Roller - Grooved Repairable Steel	0		
	Tech Note: Constructed with a through shaft and greasable ball bearings. This roller can be repaired by unscrewing the ends and replacing the series of washers and spacers.:					

Repro	& R ducts	Replaces John Deere Parts <i>Medium Cutting Unit</i> <i>Rollers</i>	e 3225B Reel Mower			
	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity	
8	RAMT1061	AET10557, AMT1061, AMT2877	Roller - Grooved Machined Solid Steel	0		
	Tech Note: N bearings.:	lachined from solid steel, this heavy we	eight roller uses greasable "water-pump"	style		
9	RAET10954	AET10954, AMT2875, AMT2879	Roller - Grooved Machined Solid Steel	0		
	Tech Note: N bearings.:	lachined from solid steel, this heavy we	eight roller uses greasable "water-pump"	style		
10	RAMT1443	AMT1443, AMT2879	Roller - Grooved Machined Solid Steel	0		
	Tech Note: Machined from solid steel, this heavy weight roller uses greasable "water-pump" style bearings. Extended length body.:					
Overl	haul Kits					
20	R100130		Overhaul Kit - Roller	0		
	Tech Note: I	ncludes 2 ea.: R302-5 Grease Fittings, R	303558 Bearings, & R305115 Seals:			

Tech Note: Includes 4 ea: RET15755 Seal; 2 ea: R237-54 O-Ring, R253-122 Seal, R254-78 Bearing, R254-79 Cup, R3296-15 Locknut, R471219 Grease Zerk, RET15726 Sleeve, RET15756 Seal:

Overhaul Kit - Roller

0

AET10632

21 **RAET10632**

				-			
22	R114-5430		Overhaul Kit - Roller	0			
		⁻ ech Note: Includes 4 ea.: R112-7494 Seals; 2 ea.: R302-5 Grease Zerks, R114-3717 Seals, R112-5290 Bearings & R114-3745 Locknuts:					
Othe	r Parts Available						
30	R471219	471219, JD7759, JD7798	Zerk - Grease	2			
31	R253-122	253-122	Seal	2			

Replaces John Deere 3225B Reel Mower Parts



Medium Cutting Unit Rollers

	R&R Part No.	OEM Part No.	Description	Qty Order Req Quantity
32	R150650		Roller End - 2 Repairable	2
33	R303558	ET15220	Bearing - Roller	2
34	R305115	ET15219	Seal - Roller	2
35	R302-5	JD7797, JD7842, JD7844	Fitting - Grease	2
36	R150690		Screw - Set 1/4-20 x 1/4	4
37	R150651		Spacer - 2-3/8 Roller	34
38	R150653		Washer - 2-3/8 Roller	33
39	RAA35741	AA35741, AET10129, TCA22836	Bearing	2
	Tech Note: 1/4" Side Hole:			
40	RET15755	ET15755	Seal - Oil	4
41	RET15756	ET15756, MT1739, MT739	Seal	2
42	RET17515	ET17515	Shaft - Roller	1
43	R237-54	U46731, U6731	O-Ring - Small	2
44	R3296-15	N101345	Locknut - 3/4-16 Nylon Jam	2
45	RU45916	14M7298, U45916	Locknut - 10-24 ESNA	2
46	R254-78	JD8188	Tapered Bearing Cone	2
47	R254-79	JD8226	Cup - Bearing	2
	Tech Note: Use R254-79M	installation mandrel to r	properly install race.:	

Tech Note: Use R254-79M installation mandrel to properly install race.:

Replaces John Deere 3225B Reel Mower Parts

Medium Cutting Unit Rollers



	• Noners				
	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
48	RET15726	ET15726, RET15726	Sleeve - Wear Hardened	2	
49	R150673		Washer - 3 Repairable Roller	11	
50	R150676		Spacer - 2-3/4 Dia x 1-1/4 L	10	
51	R500511		Roller End - Threaded 3	2	
52	R150691		Screw - Set Nyloc 3/8-16 x 3/8	4	
53	R170714	E14814	Fitting - Pressure Relief	2	
54	RAET10139	AET10139	Cable - Roller Scraper	1	
55	R500534		Bearing - with Cup	2	
56	R500559	BM18680, MT18680	Scraper Kit - Grooved Roller	1	
	Tech Note: Fits John Deere AET11262 & AMT2966 Grooved Roller Only:				
56	R500573		Scraper Kit - SET/5	1	
	Tech Note: Fits R&R R500512 Roller Only & Incl R500572 Scraper:				
57	RET17629	ET17629	Spring - Torsion LH	1	
58	RET17630	ET17630	Spring - Torsion RH	1	
59	RET17757	ET11757, ET17757	Pin - Scraper	1	
60	RMT2340	MT2340	Scraper - Fits J.D. Center	1	
61	RMT2341	MT2341	Section - Grooved Scraper 4 Tooth	1	
62	RMT2342	MT2342	Section - Grooved Scraper 3 Tooth	1	
63	R500571	MT2369	Bar - Scraper	1	
64	RMT2407	MT2407	Bracket - Roller Scraper	2	

Replaces John Deere 3225B Reel Mower Parts

Medium Cutting Unit Rollers



	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
65	RMT5158	MT5158	Scraper - Fits J.D. RH End	1	
66	RMT5159	MT5159	Scraper - Fits J.D. LH End	1	
67	R34M7010	34M7010	Pin - Spring	1	
68	R03M7221	03M7221	Bolt - Carriage M6 x 16	14	
69	R14M7303	14M7303	Nut - 6mm x 1.0 Flanged	14	
70	R03M7251	03M7251	Bolt - Gr. Roller Scraper	2	
71	R500558		Scraper - Grooved Roller	1	
	Tech Note: 1 Piece Scraper	fits OEM AET11262 & AM	IT2966 Grooved Roller:		
71	R500572		Scraper - Fits R500512 Only	1	
72	R1203821		Shaft - Fusion Roller	1	
73	R114-3717		Seal	2	
74	R112-5290		Bearing - Stainless	2	
75	R112-7494		Seal	4	
76	R114-3745		Locknut - Bearing - Stainless	2	