


## Replaces John Deere 8500 E-Cut Hybrid Reel Mower Parts



Verti-Cut Unit Reel & Frame



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.

| Repro | 8.R<br>ducts  | <b>Replaces John Deere<br/>Reel Mower Parts</b><br><i>Verti-Cut Unit</i><br><i>Reel &amp; Frame</i>   | 8500 E-Cut Hybrid   |            |                   |  |  |
|-------|---|---|---|------------|-------------------|--|--|
|       | R&R<br>Part No.   | OEM<br>Part No.   | Description   | Qty<br>Req | Order<br>Quantity |  |  |
| 1     | R150109C  |   | Verti-Cut Blade - Carbide Tipped<br>1.2mm                       | 27         |                   |  |  |
|       | Detail Description: STRONG BY DESIGN. Each blade is made with the highest quality hand-picked<br>steel, and laser-cut to our exacting specifications for superior toughness and<br>wear.<br><br>TUNGSTEN CARBIDE TIPS. Protect blades from abrasion for extended life and<br>maintain a consistent cutting depth. Optional cutting widths to meet local turf conditions.: |   |   |            |                   |  |  |
| 1     | R150209C  | TCU26776  | Verti-Cut Blade - Carbide Tipped<br>2mm                         | 27         |                   |  |  |
|       | steel, and la<br>wear.<br><   | iption: STRONG BY DESIGN. Each blade is<br>ser-cut to our exacting specifications for s<br>BR>TUNGSTEN CARBIDE TIPS. Protect blac<br>consistent cutting depth. Optional cutting | uperior toughness and<br>des from abrasion for extended life an |            |                   |  |  |

| 2  | RET14566   | ET14566             | Seal - Reel                      | 2  |  |  |  |
|----|--|---------------------|----------------------------------|----|--|--|--|
| 3  | R254-79  | JD8226              | Cup - Bearing                    | 2  |  |  |  |
|    | Detail Description: Use R254-79M installation mandrel to properly install race.: |                     |                                  |    |  |  |  |
| 4  | R254-78  | JD8188              | Tapered Bearing Cone             | 2  |  |  |  |
| 5  | RET17713   | ET17713             | Spacer - Vertical Mower Shaft    | 78 |  |  |  |
| 6  | RET17053   | ET17053             | Nut - 1-1/8-7 Jam Incl Set Screw | 2  |  |  |  |
| 7  | R170714  | E14814              | Fitting - Pressure Relief        | 2  |  |  |  |
| 8  | RAMT2704   | AMT2704,<br>MT169   | Strap - Verticut Shield          | 1  |  |  |  |
| 9  | RET17914   | ET17914             | Rubber Isolator - Verticut       | 1  |  |  |  |
| 10 | RTCU26729  | TCU26729            | Tube                             | 1  |  |  |  |
| 11 | RTCU25398  | TCU25398            | Compression Spring               | 1  |  |  |  |
| 12 | R40M7226   | 40M1862,<br>40M7226 | Ring - Retaining                 | 2  |  |  |  |
| 13 | RTCU26727  | TCU26727            | Rod                              | 1  |  |  |  |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces John Deere 8500 E-Cut Hybrid Reel Mower Parts



Verti-Cut Unit Reel & Frame

| ltem <b>R&amp;R</b><br>No <b>Part No.</b> | OEM<br>Part No.       | Description             | Qty <b>Order</b><br>Req <b>Quantity</b> |
|---|-----------------------|-------------------------|---|
| 14 <b>RTCU28987</b>                       | TCU25228,<br>TCU28987 | Half Clamp - Roller Bkt | 2                                       |
| 15 <b>RTCU28635</b>                       | TCU24555,<br>TCU28635 | Eccentric               | 2                                       |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.