




# Replaces R&R Products Sand Max 516

## Parts

Attachments

Fast Connect Tooth Rake



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 516

## Parts

Attachments

Fast Connect Tooth Rake



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

### Complete Tooth Rake Assembly

|   |                |        |                                    |   |  |
|---|----------------|--------|------------------------------------|---|--|
| 1 | <b>R151080</b> | R08751 | Tooth Rake with Fast Connect Hitch | 0 |  |
|---|----------------|--------|------------------------------------|---|--|

*Detail Description: The Tooth Rake attachment with Fast Connect Hitch may be used in wet or dry conditions to quickly scarify, smooth and groom. 72" (193cm) width, 5 rake sections, 27 adjustable prongs.:*

### Other Parts Available

|    |                |                                                                                                                                                            |                              |   |  |
|----|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---|--|
| 10 | <b>R400264</b> | 323-7,<br>R01-150-0180,<br>R01-178-0610,<br>R19H1732,<br>R20-48-AD,<br>R20-48-AGD,<br>R32-9160,<br>R3224-3,<br>R323-29,<br>R323-7,<br>R400264,<br>R908035P | Bolt - Hex HD 3/8-16 x 1-1/4 | 8 |  |
|----|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---|--|

|    |                 |  |        |   |  |
|----|-----------------|--|--------|---|--|
| 11 | <b>R98-8895</b> |  | Spacer | 2 |  |
|----|-----------------|--|--------|---|--|

|    |                |                                                                                                                                                                                  |                        |    |  |
|----|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|----|--|
| 12 | <b>R453009</b> | 3256-3,<br>R01-166-0400,<br>R24-10-BD,<br>R24-9-AD,<br>R24H1136,<br>R32-9650,<br>R3256-2,<br>R3256-23,<br>R3256-67,<br>R3290-217,<br>R3556-3,<br>R4-2390,<br>R452006,<br>R7-0152 | Washer - Flat 5/16 SAE | 10 |  |
|----|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|----|--|

|    |                  |          |                                        |    |  |
|----|------------------|----------|----------------------------------------|----|--|
| 13 | <b>R32128-21</b> | 32128-21 | Locknut - Flanged 3/8-16 Whiz Top Lock | 32 |  |
|----|------------------|----------|----------------------------------------|----|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 516

## Parts

Attachments

Fast Connect Tooth Rake



| Item No | R&R Part No. | OEM Part No.                                                                                                  | Description                      | Qty Req | Order Quantity |
|---------|--------------|---------------------------------------------------------------------------------------------------------------|----------------------------------|---------|----------------|
| 14      | R283-83      | 283-83,<br>R42194,<br>R93-5343                                                                                | Pin - Clevis                     | 1       |                |
| 15      | R3256-26     | 3256-26,<br>R01-166-0540,<br>R01-166-0820,<br>R17-2530,<br>R24-13-BD,<br>R30-8570,<br>R356206,<br>R48-9390    | Washer - 1/2 in                  | 3       |                |
| 16      | R80-2050     | 80-2050                                                                                                       | Bolt - Shoulder                  | 1       |                |
| 17      | R114-0641-03 | R112-7100-03                                                                                                  | Pivot Assy                       | 1       |                |
| 18      | R3272-11     | R01-151-0010,<br>R01-151-0040,<br>R28-18-D,<br>R28-28-D,<br>R3211-72                                          | Pin - Cotter                     | 1       |                |
| 19      | R323-14      | 323-14,<br>R01-150-0840,<br>R01-178-0624,<br>R20-55-AD,<br>R21-196-AMD,<br>R30-8750,<br>R30-8970,<br>R3224-10 | Bolt - Hex HD 3/8-16 x 3         | 2       |                |
| 20      | R110-1364    |                                                                                                               | Chain - Proof - 12 Links         | 2       |                |
| 21      | R108-2941-03 |                                                                                                               | Hanger Assy                      | 1       |                |
| 22      | R323-15      | R01-150-1460,<br>R01-178-0628                                                                                 | Bolt - Hex HD 3/8-16 x 3-1/2 GR5 | 2       |                |
| 23      | R84-2350     | 84-2350                                                                                                       | Spacer - Rake Frame              | 2       |                |
| 24      | R3296-48     | 3296-48,<br>R119-4039,<br>R32146-7,<br>R3296-34                                                               | Locknut - 7/16-14 ESNA           | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 516

## Parts

Attachments

Fast Connect Tooth Rake



| Item No | R&R Part No.       | OEM Part No.                                                                                                   | Description                       | Qty Req | Order Quantity |
|---------|--------------------|----------------------------------------------------------------------------------------------------------------|-----------------------------------|---------|----------------|
| 25      | <b>R187-0</b>      | 3256-25,<br>R3256-25,<br>R7-0032                                                                               | Washer - Flat 7/16 SAE            | 1       |                |
| 26      | <b>R66-0561</b>    | 66-0561                                                                                                        | Screw - Shoulder                  | 2       |                |
| 27      | <b>R3231-22</b>    | R900234P                                                                                                       | Bolt - Carriage 3/8-16 x 1        | 20      |                |
| 28      | <b>R3217-7</b>     | 3217-7,<br>R01-188-0616,<br>R1441,<br>R14H1076,<br>R22-13-AJD,<br>R513296,<br>R513415,<br>R513425,<br>R915113P | Nut - 3/8-16 Hex Plated           | 27      |                |
| 29      | <b>R3253-21</b>    | 3253-21,<br>R215-51,<br>R30-8470,<br>R7-1912,<br>RMT3949                                                       | Washer - Lock 3/8                 | 27      |                |
| 30      | <b>R84-2450</b>    | 84-2450                                                                                                        | Chain - Straight 4                | 6       |                |
| 32      | <b>R88-8450</b>    | 88-8450,<br>RTCU20088                                                                                          | Tooth - Rake 3-3/8 Oal            | 27      |                |
| 33      | <b>R84-2550-03</b> | 84-2550,<br>84-2550-03,<br>R84-2550                                                                            | Trowel - Smooth                   | 3       |                |
| 34      | <b>R84-2280</b>    | 84-2280,<br>84-2280-03,<br>R84-2280-01,<br>R84-2280-03                                                         | Rake - Finishing                  | 5       |                |
| 35      | <b>R84-2451</b>    | 84-2451                                                                                                        | Chain - Straight 5                | 4       |                |
| 36      | <b>R32128-12</b>   |                                                                                                                | Locknut - 3/8-24 Flanged Top Lock | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 516

## Parts

Attachments

Fast Connect Tooth Rake



| Item No | R&R Part No. | OEM Part No.                                                                                                                   | Description                                      | Qty Req | Order Quantity |
|---------|--------------|--------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|---------|----------------|
| 37      | R84-2360-03  | 84-2360,<br>84-2360-03,<br>R84-2360                                                                                            | Plate - LH Trowel                                | 1       |                |
| 38      | R84-2390-03  | 84-2390,<br>84-2390-03,<br>R84-2390                                                                                            | Plate - Center Trowel                            | 1       |                |
| 39      | R84-2400-03  | 84-2400,<br>84-2400-03,<br>R84-2400                                                                                            | Plate - RH Trowel                                | 1       |                |
| 40      | R151076      |                                                                                                                                | Hitch Assy - Rear - Triangular - Fits Tooth Rake | 1       |                |
| 41      | R88-8440-03  | 88-8440-03,<br>R256-289                                                                                                        | Plate - Tipper                                   | 2       |                |
| 42      | R32153-3     | R119-4038,<br>R22-12-AJFD,<br>R32127-35,<br>R32146-5,<br>R3296-18,<br>R3296-31,<br>RJ317000                                    | Locknut - 5/16-18 ESNA Zinc                      | 4       |                |
| 43      | R151071      |                                                                                                                                | Clamp - Toggle                                   | 1       |                |
| 44      | R322-5       | 322-5,<br>R01-178-0508,<br>R19H1905,<br>R20-26-AD,<br>R20-26-AGD,<br>R30-9000,<br>R400188,<br>R513341,<br>R519755,<br>R908019P | Bolt - Hex HD 5/16-18 x 1                        | 4       |                |
| 45      | R27-9080     |                                                                                                                                | Bearing - Flanged                                | 2       |                |
| 46      | R3272-17     | R28-26-C,<br>R28-26-D,<br>R30-1230                                                                                             | Pin-Cotter                                       | 3       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 516

## Parts

Attachments

Fast Connect Tooth Rake



| Item No | R&R Part No. | OEM Part No.                                            | Description                      | Qty Req | Order Quantity |
|---------|--------------|---------------------------------------------------------|----------------------------------|---------|----------------|
| 47      | R110-3362    |                                                         | Pivot Bar Assy                   | 1       |                |
| 49      | R283-61      | R86-2140                                                | Pin - Clevis 5/16 x 1-1/8        | 1       |                |
| 50      | R3272-10     | R01-151-0120                                            | Pin - Cotter 1/8 x 3/4           | 1       |                |
| 51      | R92-7008     |                                                         | Rod End - Female                 | 2       |                |
| 52      | R151072      |                                                         | Adapter - Link Assy              | 1       |                |
| 53      | R3220-3      | R01-191-0624,<br>R3290-149                              | Nut - Jam Ball Joint             | 2       |                |
| 54      | R110-8108    |                                                         | Rod - Link                       | 1       |                |
| 57      | R3211-12     |                                                         | Bolt - Hx HD 3/8-24              | 1       |                |
| 58      | R110-8114    |                                                         | Washer                           | 1       |                |
| 59      | R66-7230     |                                                         | Spring - Compression             | 1       |                |
| 60      | R110-8111-01 |                                                         | Yoke Assy                        | 1       |                |
| 61      | R110-8110    |                                                         | Spacer                           | 1       |                |
| 62      | R151075      |                                                         | Link Assy - Fast Connect Hitch   | 1       |                |
| 63      | R110-8116    |                                                         | Spacer - Link                    | 2       |                |
| 64      | R323-11      | R01-150-1440,<br>R01-178-0618,<br>R20-52-AD,<br>R3224-7 | Bolt - 3/8-16 x 2 1/4 GR5        | 1       |                |
| 67      | R110-8154    |                                                         | Latch Assy                       | 1       |                |
| 69      | R3296-44     |                                                         | Nut - 3/8-16 Heavy Jam ESNA Lock | 1       |                |
| 70      | R112-1408    |                                                         | Lift Arm Assy                    | 1       |                |
| 71      | R104-8301    | R109-6658,<br>R133-7570                                 | Locknut - 3/8-16 Nylon Flanged   | 3       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 516

## Parts

Attachments

Fast Connect Tooth Rake



| Item No | R&R Part No. | OEM Part No.                                                                               | Description                          | Qty Req | Order Quantity |
|---------|--------------|--------------------------------------------------------------------------------------------|--------------------------------------|---------|----------------|
| 72      | R3234-24     | R3234-8,<br>R66-9301                                                                       | Bolt - Hex Ser Was HD 3/8-16 x 1-1/4 | 2       |                |
| 73      | R112-1403    |                                                                                            | Adapter Assy - Fast Connect Assy     | 1       |                |
| 74      | R115-2090    |                                                                                            | Pad - Wear                           | 1       |                |
| 75      | R151073      |                                                                                            | Adapter Plate                        | 1       |                |
| 76      | RF5003       | 3296-23,<br>R32127-29,<br>R32131-5,<br>R32132-5,<br>R3296-23,<br>R64229-05,<br>RZS04021-07 | Locknut - ESNA 1/2-13                | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.