




# Replaces R&R Products Sand Max 516

## Parts

Traction Unit  
Rear Wheel



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 516

## Parts

Traction Unit  
Rear Wheel



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

### Tires

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                  |                                                |                                                            |   |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------------------------|------------------------------------------------------------|---|--|
| 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>TIRES</b>     |                                                | <a href="#">Click Here to View Complete Tire Selection</a> | 0 |  |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>RCT537050</b> | R546547                                        | Tire - 22x11.00-8 Nhs (2 Ply) Carlisle Knobby              | 2 |  |
| <i>Detail Description: Elevate your off-road adventures with the Carlisle Knobby tire. This tire offers a unique design with options available in both solid and dimple tread patterns. Whether you're tackling rugged trails or navigating through challenging terrain, the Carlisle Knobby tire delivers maximum performance and traction. It is specially designed for ATVs and golf carts, providing the reliability and durability you need for your outdoor adventures. Upgrade your ATV or golf cart with the Carlisle Knobby tire and experience the difference it makes in your outdoor excursions. Maximize your traction, durability, and versatility. Buy the Carlisle Knobby tire today and unleash the full potential of your off-road adventures.:</i> |                  |                                                |                                                            |   |  |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>R94-6116</b>  | R114-4643,<br>R242-53,<br>R242-86,<br>R46-4810 | Rim - 8x8.5 White                                          | 2 |  |
| 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>R232-24</b>   | R232-35,<br>R341680,<br>R363233,<br>R814687    | Stem - Valve w/ Cap                                        | 2 |  |

### Hoses

|   |                  |           |                     |   |  |
|---|------------------|-----------|---------------------|---|--|
| 4 | <b>R100-3833</b> |           | Hydraulic Hose Assy | 1 |  |
| 5 | <b>R95-8837</b>  | R105-4348 | Hydraulic Hose Assy | 1 |  |
| 6 | <b>R110-1330</b> |           | Tube Assy           | 1 |  |
| 7 | <b>R110-1323</b> |           | Tube Assy           | 1 |  |
| 8 | <b>R108-8406</b> |           | Tube Assy           | 1 |  |

### Other Parts Available

|    |                  |  |                         |   |  |
|----|------------------|--|-------------------------|---|--|
| 10 | <b>R108-2949</b> |  | Hydraulic Motor - Wheel | 1 |  |
| 11 | <b>R56-7976</b>  |  | Clamp - Tube            | 4 |  |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 516

## Parts

*Traction Unit  
Rear Wheel*



| Item No | R&R Part No. | OEM Part No.                                                                                                                                                                     | Description                  | Qty Req | Order Quantity |
|---------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------|----------------|
| 12      | R110-1333    |                                                                                                                                                                                  | Bracket-Clamp                | 1       |                |
| 13      | R322-10      | R20-30-AD,<br>R24-7180,<br>R3223-6,<br>R513347                                                                                                                                   | Bolt - Hex HD 5/16-18 x 2    | 2       |                |
| 14      | R110-1332    |                                                                                                                                                                                  | Bracket-Clamp                | 1       |                |
| 15      | R400106      | R321-3,<br>R513315,<br>R908002P                                                                                                                                                  | Bolt - Hex HD 1/4-20 x 5/8   | 1       |                |
| 16      | R108-2947    |                                                                                                                                                                                  | Hydraulic Motor - Wheel      | 1       |                |
| 17      | R400264      | 323-7,<br>R01-150-0180,<br>R01-178-0610,<br>R19H1732,<br>R20-48-AD,<br>R20-48-AGD,<br>R32-9160,<br>R3224-3,<br>R323-29,<br>R323-7,<br>R400264,<br>R908035P                       | Bolt - Hex HD 3/8-16 x 1-1/4 | 1       |                |
| 18      | R453009      | 3256-3,<br>R01-166-0400,<br>R24-10-BD,<br>R24-9-AD,<br>R24H1136,<br>R32-9650,<br>R3256-2,<br>R3256-23,<br>R3256-67,<br>R3290-217,<br>R3556-3,<br>R4-2390,<br>R452006,<br>R7-0152 | Washer - Flat 5/16 SAE       | 5       |                |
| 19      | R108-7991-03 |                                                                                                                                                                                  | Brake Lever Assy             | 1       |                |
| 20      | R108-7994    |                                                                                                                                                                                  | Bushing-Pivot, Lev           | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 516

## Parts

*Traction Unit*

*Rear Wheel*



| Item No | R&R Part No.        | OEM Part No.                                                                               | Description                      | Qty Req | Order Quantity |
|---------|---------------------|--------------------------------------------------------------------------------------------|----------------------------------|---------|----------------|
| 21      | <b>R108-7988-03</b> |                                                                                            | Brake Lever Bracket              | 1       |                |
| 22      | <b>R104-8301</b>    | R109-6658,<br>R133-7570                                                                    | Locknut - 3/8-16 Nylon Flanged   | 1       |                |
| 23      | <b>R21-1880</b>     |                                                                                            | Grip-Handle                      | 1       |                |
| 24      | <b>R32151-47</b>    | R32151-17                                                                                  | Ring-Retaining                   | 1       |                |
| 25      | <b>R104-8300</b>    | R119-4041                                                                                  | Locknut - 5/16-18 Flanged Y/Zinc | 4       |                |
| 26      | <b>R301504</b>      | R32127-24,<br>R32146-17,<br>R3296-16,<br>R3296-42,<br>R915661P,<br>RM40333                 | Locknut - ESNA 1/4-20            | 1       |                |
| 27      | <b>R2412-89</b>     | R2412-113                                                                                  | Clamp                            | 1       |                |
| 28      | <b>R340-2</b>       | R60-1920                                                                                   | Hydraulic Fitting - Striaight    | 1       |                |
| 29      | <b>R237-42</b>      | R31-4160,<br>R339897                                                                       | O-Ring                           | 3       |                |
| 30      | <b>R237-22</b>      | R107-8844,<br>R232-72,<br>R237-78                                                          | O-Ring                           | 1       |                |
| 31      | <b>R340-89</b>      |                                                                                            | Hydraulic Fitting - 45 Deg       | 4       |                |
| 32      | <b>R237-80</b>      | R327-80                                                                                    | O-Ring                           | 4       |                |
| 33      | <b>R108-7973-03</b> |                                                                                            | Brake Bracket Assy               | 2       |                |
| 34      | <b>R3253-7</b>      | R01-166-0030,<br>R01-166-0080,<br>R01-166-0290,<br>R01-166-0810,<br>R23-13-GD,<br>R48-9380 | Washer - Lock 1/2                | 8       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 516

## Parts

*Traction Unit*

*Rear Wheel*



| Item No | R&R Part No. | OEM Part No.                                                                                                                                                                                                                                                                                                      | Description                  | Qty Req | Order Quantity |
|---------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------|----------------|
| 35      | R325-10      | R01-150-0620,<br>R01-178-0820,<br>R20-91-AGD,<br>R3226-6                                                                                                                                                                                                                                                          | Bolt                         | 8       |                |
| 36      | R237-30      | R23-6320                                                                                                                                                                                                                                                                                                          | O-Ring - Seal                | 2       |                |
| 40      | R108-7986-03 |                                                                                                                                                                                                                                                                                                                   | Bar - Brake                  | 2       |                |
| 41      | R32121-11    |                                                                                                                                                                                                                                                                                                                   | Pin - Roll 1/4 x 3/4         | 2       |                |
| 42      | R400260      | R01-178-0605,<br>R18-4100,<br>R19-8270,<br>R323-3,<br>R323-33,<br>R323-34,<br>R323-5                                                                                                                                                                                                                              | Bolt - Hex HD 3/8-16 x 7/8   | 4       |                |
| 43      | R453011      | 3256-24,<br>453011,<br>R01-166-0100,<br>R01-166-0120,<br>R01-166-0270,<br>R01-166-0500,<br>R01-166-0600,<br>R01-166-0620,<br>R132-4593,<br>R237-12,<br>R24-10-AD,<br>R24-11-AD,<br>R24-11-BD,<br>R24-12-AD,<br>R24-12-BD,<br>R30-9310,<br>R32-8190,<br>R3256-24,<br>R3256-3,<br>R3256-36,<br>R3256-4,<br>R47-9950 | Washer - Flat 3/8 SAE Y/Zinc | 4       |                |
| 44      | R108-2819B   |                                                                                                                                                                                                                                                                                                                   | Engine Mount Assy            | 1       |                |
| 45      | R3290-307    |                                                                                                                                                                                                                                                                                                                   | Pin-Hair                     | 4       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 516

## Parts

*Traction Unit*

*Rear Wheel*



| Item No | R&R Part No. | OEM Part No.                            | Description                          | Qty Req | Order Quantity |
|---------|--------------|-----------------------------------------|--------------------------------------|---------|----------------|
| 46      | R3290-301    |                                         | Washer - Spring Wave                 | 2       |                |
| 47      | R108-7987    |                                         | Link-Latch - Parking                 | 2       |                |
| 48      | R66-4270-03  | R66-4270                                | Spring-Extension                     | 1       |                |
| 49      | R32120-47    | R4583,<br>R5701P                        | Ring-Retaining - External            | 1       |                |
| 50      | R256-257     | R256-295                                | Nyliner Bushing                      | 2       |                |
| 51      | R19-1471     |                                         | Screw-Shoulder                       | 1       |                |
| 52      | R108-7979-03 |                                         | Bellcrank Assy                       | 1       |                |
| 53      | R19-1470     |                                         | Screw-Shoulder                       | 1       |                |
| 54      | R106-8890-03 |                                         | Clevis-Latch, Park                   | 2       |                |
| 55      | R107-3376    |                                         | Spring-Compression                   | 2       |                |
| 56      | R108-7913    |                                         | Cable- Parking Brake                 | 1       |                |
| 57      | R108-7983    |                                         | Bushing-Cable                        | 1       |                |
| 58      | R85-6540     |                                         | Stud - Drive 1/2-20 x 2              | 8       |                |
| 59      | R108-7977-03 |                                         | Hub-Wheel                            | 2       |                |
| 60      | R26-3790     |                                         | Nut - Hex - Wheel Motor 1-20         | 2       |                |
| 64      | R242-50      |                                         | Nut - 1/2-20 Wheel                   | 8       |                |
| 65      | R32144-10    | R32140-81,<br>R32144-3,<br>R34-140-AMVD | Bolt - 1/4-20 x 3/4 Serrated Hx Wshr | 8       |                |
| 66      | R108-6856    |                                         | Shroud-Wheel, LH                     | 1       |                |
| 67      | R108-6855    |                                         | Shroud-Wheel, RH                     | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 516 Parts

*Traction Unit  
Rear Wheel*



| Item No | R&R Part No. | OEM Part No.                                                       | Description                  | Qty Req | Order Quantity |
|---------|--------------|--------------------------------------------------------------------|------------------------------|---------|----------------|
| 68      | R322-11      | 322-11,<br>R01-150-0390,<br>R01-178-0518,<br>R20-31-AD,<br>R3223-7 | Bolt - 5/16-18 x 2 1/4 Hx HD | 2       |                |
| 69      | R3296-29     | 3296-29,<br>R1-804256,<br>R915662P                                 | Locknut - 5/16-18 ESNA       | 2       |                |
| 70      | R110-1338    |                                                                    | Hydraulic Cylinder           | 1       |                |
| 71      | R63-8410     | R53-6380,<br>R63-4810                                              | Washer - Isolator Bushing    | 1       |                |
| 73      | R237-21      |                                                                    | O-Ring                       | 2       |                |
| 74      | R340-132     |                                                                    | Hydraulic Fitting - 90 Deg   | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.