


## **Replaces Toro Greensmaster 1000 Parts**

*Mower - Model 04051 Front Rollers* 











**Replaces Toro Greensmaster 1000 Parts** 



*Mower - Model 04051 Front Rollers* 



	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity		
&R	Rollers		i	I			
1	R21-6440	20-8950, 21-6440, 23-5110, 52-3170, Nov-80	Roller - Smooth Tubular Steel	1			
	Detail Description: This tubular steel roller uses greasable "water-pump" style bearings. :						
2	R150340		Roller - Smooth UHMW Polyethylene	1			
	Detail Description: Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.:						
3	R21-6540	21-6540	Roller - Grooved Repairable Steel	1			
	Detail Description: Constructed with greasable "water-pump" style bearings, this roller can be repaired by unscrewing the ends and replacing the series of washers and spacers.:						
4	R88-6790	88-6790	Roller - Grooved Machined Solid Aluminum	1			
	Detail Description: Machined from solid aluminum, this light weight machined grooved roller uses greasable "water-pump" style bearings.:						
5	R52-3200	12-0840, 52-3200, 71-1550	Roller - Grooved Machined Solid Steel	1			
	Detail Description: Machined from solid steel, this heavy weight roller uses greasable "water- pump" style bearings.:						
6	R150335		Roller - Grooved UHMW Polyethylene	1			
	Detail Description: solid stainless stee smooth UHMW mo	d a 1"					
7	R99-6241	99-6241	Roller - Grooved Machined Solid Aluminum	1			
			Aluminum				



	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity		
	Detail Description: Machined from solid aluminum, this light weight roller uses greasable "water- pump" style bearings and features 3/8" wide grooves.:						
8	R21-6470	10-5000, 21-6470, 52-3590	Roller - Swaged Machined Solid Aluminum	1			
	Detail Description: Constructed with "water-pump" style bearings, this roller is machined from solid aluminum and contacts the ground only on the outer 2-7/8" of the roller.:						
Overl	haul Kits						
20	R101395		Overhaul Kit - UHMW Roller	1			
	Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, & R150334A Bronze Thrust Washers:						
21	R107-1588	107-1588	Overhaul Kit - Roller	1			
	Detail Description: Includes 2 ea.: R302-5 Grease Fittings & R52-3180 Bearings:						
Othe	r Parts Available						
30	R52-3180	21-6410, 52-3180	Bearing - Front Roller	2			
31	R52-3210	52-3210	Bearing - w/Milled Flat	2			
32	R33-1000	33-1000	Brush Assy	1			
33	R8-2520	8-2520, 8-2520-01	Support - Comb	1			
34	R11-0069		Frame - Only Comb Assy	1			
35	R8-2530	8-2530	Comb - Urethane	1			
36	R11-0070	11-0070	Comb - Assy	1			

**Replaces Toro Greensmaster 1000 Parts** 





*Mower - Model 04051 Front Rollers* 

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity	
37	R302-5	21-6010, 302-11, 302-37, 302-47, 302-5, 302-57, 302-58, 302-6, 31-0300, 32-9660, 60-0800, 62-3880, 92-4181	Fitting - Grease	2		
38	R3296-9	32127-17, 3296-9	Locknut - Comb	11		
39	R3249-3	3249-3	Screw - Comb	11		
40	R3219-1	01-158-0590, 01-188-0428, 3219-1	Nut - 1/4-28	4		
41	R3254-8	3254-8	Washer - Lock 1/4 Int Star Z	4		
42	R65-8360-01	65-8360, 65-8360-01	Scraper - Smooth Rollers	1		
43	R150347T		Seal - Nonstick Lip	2		
44	R150334A		Washer - Thrust SAE660 Bronze	2		
45	R150333		Washer - Flat Keyed Outer SS	2		
46	R3296-15	116-7306, 32118-5, 32127-23, 32127-47, 3296-15	Locknut - 3/4-16 Nylon Jam	2		
47	R151359		Scraper - R&R Grooved Roller .625 in Spacing	1		
	Detail Description: Fits R&R R88-6790 & R52-3200 Rollers:					





R&R Products

*Mower - Model 04051 Front Rollers* 

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity		
48	R65-8340-01	65-8340, 65-8340-01	Scraper - Grooved Roller .43 in Spacing	1			
	Detail Description: Fits OEM 93-9045 grooved roller:						
48	R112-9288	112-9288	Scraper Kit - Fits OEM Gr Roller .61 in Spacing	1			
	Detail Description: INCL: 1 EA R65-8340-01 & 4 EA R3254-8 LW & R3219-1 NUT:						