


*Mower - Model 04055 Front Rollers* 













*Mower - Model 04055 Front Rollers* 



<b>50340</b> tail Description:	Machined from solid UHM		1				
tail Description: <b>50340</b> tail Description: i inless steel shaft	21-6440, 23-5110, 52-3170, Nov-80 This tubular steel roller uso Machined from solid UHM and requires no grease. U	es greasable "water-pump" style bearings. : Roller - Smooth UHMW Polyethylene W, this low maintenance roller uses a 1" solia	1				
<b>50340</b> tail Description: i inless steel shaft	Machined from solid UHM and requires no grease. U	Roller - Smooth UHMW Polyethylene W, this low maintenance roller uses a 1" solid	·				
tail Description: inless steel shaft	and requires no grease. U	Polyethylene W, this low maintenance roller uses a 1" solid	·				
inless steel shaft	and requires no grease. U		1				
1-6540	21-6540		Detail Description: Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.:				
		Roller - Grooved Repairable Steel	1				
Detail Description: Constructed with greasable "water-pump" style bearings, this roller can b repaired by unscrewing the ends and replacing the series of washers and spacers.:							
8-6790	88-6790	Roller - Grooved Machined Solid Aluminum	1				
Detail Description: Machined from solid aluminum, this light weight machined grooved roller uses greasable "water-pump" style bearings.:							
2-3200	12-0840, 52-3200, 71-1550	Roller - Grooved Machined Solid Steel	1				
Detail Description: Machined from solid steel, this heavy weight roller uses greasable "water- pump" style bearings.:							
50335		Roller - Grooved UHMW Polyethylene	1				
Detail Description: Machined from solid UHMW, this low maintenance roller rotates around solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.:							
	99-6241	Roller - Grooved Machined Solid Aluminum	1				
ta lia	il Description: I I stainless steel	il Description: Machined from solid UHM I stainless steel shaft and requires no bea oth UHMW material prevents build-up of	Polyethylene il Description: Machined from solid UHMW, this low maintenance roller rotates around I stainless steel shaft and requires no bearings or grease. Patented groove design and oth UHMW material prevents build-up of debris.: Roller - Grooved Machined Solid	Polyethylene <sup>1</sup> Polyethylene <sup>1</sup> I Description: Machined from solid UHMW, this low maintenance roller rotates around a 1" I stainless steel shaft and requires no bearings or grease. Patented groove design and oth UHMW material prevents build-up of debris.: Roller - Grooved Machined Solid 1			



7 <b>. E.S.</b> A
回公然到外

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity		
		Machined from solid alumi gs and features 3/8" wide g	num, this light weight roller uses greasable rooves.:	e "water-			
8	R21-6470	10-5000, 21-6470, 52-3590	Roller - Swaged Machined Solid Aluminum	1			
	Detail Description: Constructed with "water-pump" style bearings, this roller is machined from solid aluminum and contacts the ground only on the outer 2-7/8" of the roller.:						
Overl	haul Kits						
20	R101395		Overhaul Kit - UHMW Roller	1			
	Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, & R150334A Bronze Thrust Washers:						
21	R107-1588	107-1588	Overhaul Kit - Roller	1			
	Detail Description:	Includes 2 ea.: R302-5 Grea	ise Fittings & R52-3180 Bearings:				
Othe	r Parts Available						
30	R52-3180	21-6410, 52-3180	Bearing - Front Roller	2			
31	R52-3210	52-3210	Bearing - w/Milled Flat	2			
32	R33-1000	33-1000	Brush Assy	1			
33	R8-2520	8-2520, 8-2520-01	Support - Comb	1			
34	R11-0069		Frame - Only Comb Assy	1			
35	R8-2530	8-2530	Comb - Urethane	1			
36	R11-0070	11-0070	Comb - Assy	1			





*Mower - Model 04055 Front Rollers* 

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity	
37	R302-5	21-6010, 302-11, 302-37, 302-47, 302-5, 302-57, 302-58, 302-6, 31-0300, 32-9660, 60-0800, 62-3880, 92-4181	Fitting - Grease	2		
38	R3296-9	32127-17, 3296-9	Locknut - Comb	11		
39	R3249-3	3249-3	Screw - Comb	11		
40	R3219-1	01-158-0590, 01-188-0428, 3219-1	Nut - 1/4-28	4		
41	R3254-8	3254-8	Washer - Lock 1/4 Int Star Z	4		
42	R65-8360-01	65-8360, 65-8360-01	Scraper - Smooth Rollers	1		
43	R150347T		Seal - Nonstick Lip	2		
44	R150334A		Washer - Thrust SAE660 Bronze	2		
45	R150333		Washer - Flat Keyed Outer SS	2		
46	R3296-15	116-7306, 32118-5, 32127-23, 32127-47, 3296-15	Locknut - 3/4-16 Nylon Jam	2		
47	R151359		Scraper - R&R Grooved Roller .625 in Spacing	1		
	Detail Description: Fits R&R R88-6790 & R52-3200 Rollers:					

Detail Description: Fits R&R R88-6790 & R52-3200 Rollers:



*Mower - Model 04055 Front Rollers* 



	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity	
48	R65-8340-01	65-8340, 65-8340-01	Scraper - Grooved Roller .43 in Spacing	1		
	Detail Description: Fits OEM 93-9045 grooved roller:					
48	R112-9288	112-9288	Scraper Kit - Fits OEM Gr Roller .61 in Spacing	1		
	Detail Description: INCL: 1 EA R65-8340-01 & 4 EA R3254-8 LW & R3219-1 NUT:					