




# Replaces Toro Reelmaster 5400D Parts

*Dethatching Unit - Model 03516*

*Dethatching Reel & Frame*



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces Toro Reelmaster 5400D Parts

Dethatching Unit - Model 03516

Dethatching Reel & Frame



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

### Overhaul Kits

|   |                  |          |                                          |   |  |
|---|------------------|----------|------------------------------------------|---|--|
| 1 | <b>R106-6392</b> | 106-6392 | Verti-Cut Blade Kit - 2mm Carbide Tipped | 1 |  |
|---|------------------|----------|------------------------------------------|---|--|

*Detail Description: Includes Carbide Tipped Blades to rebuild 3 dethatching reels: 108 ea: R150209C Vertical Mower Blade:*

### Verti-Cut Blades

|   |                 |         |                 |    |  |
|---|-----------------|---------|-----------------|----|--|
| 2 | <b>R17-1590</b> | 17-1590 | Verti-Cut Blade | 24 |  |
|---|-----------------|---------|-----------------|----|--|

|   |                 |          |                                        |    |  |
|---|-----------------|----------|----------------------------------------|----|--|
| 2 | <b>R150109C</b> | 106-5422 | Verti-Cut Blade - Carbide Tipped 1.2mm | 24 |  |
|---|-----------------|----------|----------------------------------------|----|--|

*Detail Description: STRONG BY DESIGN. Each blade is made with the highest quality hand-picked steel, and laser-cut to our exacting specifications for superior toughness and wear.<BR><BR>TUNGSTEN CARBIDE TIPS. Protect blades from abrasion for extended life and maintain a consistent cutting depth. Optional cutting widths to meet local turf conditions.:*

|   |                 |          |                                      |    |  |
|---|-----------------|----------|--------------------------------------|----|--|
| 2 | <b>R150209C</b> | 106-6355 | Verti-Cut Blade - Carbide Tipped 2mm | 24 |  |
|---|-----------------|----------|--------------------------------------|----|--|

*Detail Description: STRONG BY DESIGN. Each blade is made with the highest quality hand-picked steel, and laser-cut to our exacting specifications for superior toughness and wear.<BR><BR>TUNGSTEN CARBIDE TIPS. Protect blades from abrasion for extended life and maintain a consistent cutting depth. Optional cutting widths to meet local turf conditions.:*

### R&R Rollers

|   |                 |         |                               |   |  |
|---|-----------------|---------|-------------------------------|---|--|
| 7 | <b>R82-6680</b> | 82-6680 | Roller - Smooth Tubular Steel | 1 |  |
|---|-----------------|---------|-------------------------------|---|--|

|   |                 |         |                                       |   |  |
|---|-----------------|---------|---------------------------------------|---|--|
| 8 | <b>R75-1520</b> | 75-1520 | Roller - Grooved Machined Solid Steel | 0 |  |
|---|-----------------|---------|---------------------------------------|---|--|

*Detail Description: Machined from solid steel this heavy weight roller uses greasable "water-pump" style bearings. :*

### Other Parts Available

|    |                 |                        |                             |   |  |
|----|-----------------|------------------------|-----------------------------|---|--|
| 10 | <b>R82-6810</b> | 82-6810,<br>82-6810-01 | Plate - Blade Shaft Bearing | 2 |  |
|----|-----------------|------------------------|-----------------------------|---|--|

|    |                 |                        |                            |   |  |
|----|-----------------|------------------------|----------------------------|---|--|
| 11 | <b>R10-5080</b> | 10-5080,<br>10-5080-01 | End - Cap Reel Brg Housing | 1 |  |
|----|-----------------|------------------------|----------------------------|---|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces Toro Reelmaster 5400D Parts

*Dethatching Unit - Model 03516*

*Dethatching Reel & Frame*



| Item No | R&R Part No.    | OEM Part No.                                                                                                              | Description                     | Qty Req | Order Quantity |
|---------|-----------------|---------------------------------------------------------------------------------------------------------------------------|---------------------------------|---------|----------------|
| 12      | <b>R12-0460</b> | 12-0460                                                                                                                   | Caplug - End Cap                | 1       |                |
| 13      | <b>R82-6710</b> | 82-6710                                                                                                                   | Frame                           | 1       |                |
| 15      | <b>R3242-2</b>  | 3242-2                                                                                                                    | Screw - 5/16-18 x 1/2 Sq HD Set | 4       |                |
| 16      | <b>R400264</b>  | 01-150-0180,<br>01-178-0610,<br>20-48-AD,<br>20-48-AGD,<br>32-9160,<br>3224-3,<br>323-29,<br>323-7,<br>400264,<br>908035P | Bolt - Hex HD 3/8-16 x 1-1/4    | 4       |                |
| 17      | <b>R3296-39</b> | 32127-25,<br>32128-36,<br>3290-357,<br>3296-17,<br>3296-22,<br>3296-39,<br>915663P,<br>99-7443                            | Locknut - 3/8-16 Nylon          | 8       |                |
| 18      | <b>R82-6830</b> | 82-6830,<br>82-6830-01                                                                                                    | Bar - Scraper Grooved Roller    | 1       |                |
| 19      | <b>R82-6870</b> | 82-6870,<br>82-6870-01                                                                                                    | Bracket - Scraper RH            | 1       |                |
| 20      | <b>R82-6880</b> | 82-6880,<br>82-6880-01                                                                                                    | Bracket - Scraper LH            | 1       |                |
| 21      | <b>R323-6</b>   | 01-150-0010,<br>01-178-0608,<br>20-47-AD,<br>20-47-AGD,<br>3224-2,<br>323-6,<br>49-3510,<br>908034P,<br>908332            | Bolt - Hex HD 3/8-16 x 1 GR5 YZ | 4       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces Toro Reelmaster 5400D Parts

Dethatching Unit - Model 03516

Dethatching Reel & Frame



| Item No                                                          | R&R Part No. | OEM Part No.                                                                                                                                 | Description                 | Qty Req | Order Quantity |
|------------------------------------------------------------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------|----------------|
| 22                                                               | R3253-21     | 215-51,<br>30-8470,<br>3253-21,<br>Jul-12                                                                                                    | Washer - Lock 3/8           | 4       |                |
| 23                                                               | R322-3       | 01-150-1420,<br>01-178-0506,<br>20-24-AD,<br>20-24-AGD,<br>322-3,<br>48-9270,<br>513339,<br>908017P                                          | Bolt - Hex HD 5/16-18 x 3/4 | 2       |                |
| 24                                                               | R310266      | 3256-23,<br>3256-3,<br>3556-3                                                                                                                | Washer - Flat 5/16 USS      | 8       |                |
| <i>Tech Note: Use with scraper &amp; O.E.M. bearing housing:</i> |              |                                                                                                                                              |                             |         |                |
| 24                                                               | R453009      | 01-166-0400,<br>24-10-BD,<br>24-9-AD,<br>32-9650,<br>3256-2,<br>3256-23,<br>3256-3,<br>3256-67,<br>3290-217,<br>3556-3,<br>4-2390,<br>7-0152 | Washer - Flat 5/16 SAE      | 6       |                |
| <i>Tech Note: Use with R&amp;R housings:</i>                     |              |                                                                                                                                              |                             |         |                |
| 25                                                               | R3296-29     | 1-804256,<br>3290-357,<br>3296-29,<br>915662P                                                                                                | Locknut - 5/16-18 ESNA      | 2       |                |
| 26                                                               | R76-2460     | 76-2460                                                                                                                                      | Bearing - Flange            | 2       |                |
| 27                                                               | R251-337     | 251-337                                                                                                                                      | Bearing - Ball              | 2       |                |
| 28                                                               | R3245-35     | 3245-35                                                                                                                                      | Screw - Set 1/4-28 x 1/4    | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces Toro Reelmaster 5400D Parts

*Dethatching Unit - Model 03516*

*Dethatching Reel & Frame*



| Item No | R&R Part No. | OEM Part No.                                                                                                                            | Description                    | Qty Req | Order Quantity |
|---------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------|----------------|
| 29      | R700414      | 302-11,<br>302-19,<br>302-4,<br>32-8170                                                                                                 | Zerk - Grease 1/4-28 45 Deg    | 6       |                |
| 30      | R322-7       | 01-150-0750,<br>01-150-0760,<br>01-178-0512,<br>20-28-AD,<br>20-28-AGD,<br>322-7,<br>3223-4                                             | Bolt - Hex HD 5/16-18 x 1-1/2  | 6       |                |
| 31      | R3253-4      | 01-166-0110,<br>01-166-0510,<br>23-10-GD,<br>24-7170,<br>30-8520,<br>3253-4,<br>48-9350,<br>48-9360,<br>48-9570,<br>68-9420,<br>99-7577 | Washer - Lock 5/16 Zinc        | 7       |                |
| 32      | R3-1506      | 256-287,<br>3-1506,<br>75-2160,<br>Apr-50                                                                                               | Bushing - Bronze               | 2       |                |
| 35      | R3231-25     | 01-173-0610,<br>30-9970,<br>3231-25,<br>3231-3,<br>900064P                                                                              | Bolt - Carriage 3/8-16 x 1-1/4 | 2       |                |
| 36      | R67-7960     | 27-2890,<br>62-5070,<br>67-7960                                                                                                         | Decal - Warning                | 1       |                |
| 37      | R323-49      | 323-49                                                                                                                                  | Bolt - HOC 3/8-16 x 3 1/2      | 2       |                |
| 38      | R302-60      | 302-60                                                                                                                                  | Zerk - Grease 90 Deg.          | 1       |                |
| 39      | R75-1290     | 75-1290                                                                                                                                 | Bearing - Roller               | 4       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces Toro Reelmaster 5400D Parts

*Dethatching Unit - Model 03516*

*Dethatching Reel & Frame*



| Item No | R&R Part No. | OEM Part No.                                                                                                                                   | Description                  | Qty Req | Order Quantity |
|---------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------|----------------|
| 40      | R302-5       | 21-6010,<br>302-11,<br>302-37,<br>302-47,<br>302-5,<br>302-57,<br>302-58,<br>302-6,<br>31-0300,<br>32-9660,<br>60-0800,<br>62-3880,<br>92-4181 | Fitting - Grease             | 4       |                |
| 41      | R82-6740     | 82-6740                                                                                                                                        | Scraper - Assy               | 1       |                |
| 42      | R82-6770     | 82-6770,<br>82-6770-01                                                                                                                         | Spring - Scraper             | 2       |                |
| 43      | R3269-4      | 3269-3,<br>3269-4,<br>3290-409                                                                                                                 | Rivet - Rear Deflector       | 4       |                |
| 44      | R323-53      | 323-53,<br>57-3210                                                                                                                             | Bolt - Hex HD 3/8-16 x 1-3/4 | 2       |                |
| 45      | R3218-3      | 01-191-0616,<br>22-13-AJKD,<br>3218-3,<br>915236P                                                                                              | Nut - 3/8-16 Jam             | 4       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces Toro Reelmaster 5400D Parts

*Dethatching Unit - Model 03516*

*Dethatching Reel & Frame*



| Item No | R&R Part No.    | OEM Part No.                                                                                                                                                                                                                                                                                                                   | Description                  | Qty Req | Order Quantity |
|---------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------|----------------|
| 46      | <b>R453011</b>  | 01-166-0100,<br>01-166-0120,<br>01-166-0270,<br>01-166-0500,<br>01-166-0600,<br>01-166-0620,<br>132-4593,<br>2356-3,<br>237-12,<br>24-10-AD,<br>24-11-AD,<br>24-11-BD,<br>24-12-AD,<br>24-12-BD,<br>30-9310,<br>32-8190,<br>3256-24,<br>3256-3,<br>3256-36,<br>3256-4,<br>453011,<br>47-9950,<br>48-9220,<br>513458,<br>7-0052 | Washer - Flat 3/8 SAE Y/Zinc | 6       |                |
| 47      | <b>R75-1840</b> | 75-1840                                                                                                                                                                                                                                                                                                                        | Shield - Grass               | 1       |                |
| 48      | <b>R321-4</b>   | 01-150-1030,<br>01-178-0406,<br>20-3-AGD,<br>321-4,<br>3222-1                                                                                                                                                                                                                                                                  | Bolt - Hex HD 1/4-20 x 3/4   | 2       |                |
| 49      | <b>R3256-22</b> | 24-9-BD,<br>3-1032,<br>3256-1,<br>3256-22,<br>93-0954,<br>93-0989                                                                                                                                                                                                                                                              | Washer - Flat 1/4 Yellow     | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces Toro Reelmaster 5400D Parts

*Dethatching Unit - Model 03516*

*Dethatching Reel & Frame*



| Item No | R&R Part No. | OEM Part No.                                                                                               | Description                  | Qty Req | Order Quantity |
|---------|--------------|------------------------------------------------------------------------------------------------------------|------------------------------|---------|----------------|
| 50      | R301504      | 2296-42,<br>301504,<br>32127-24,<br>32128-33,<br>32146-17,<br>3296-16,<br>3296-42,<br>3296-42 ,<br>915661P | Locknut - ESNA 1/4-20        | 2       |                |
| 51      | R82-6780     | 82-6780,<br>82-6780-01                                                                                     | Deflector - Rear             | 1       |                |
| 52      | R322-5       | 01-178-0508,<br>20-26-AD,<br>20-26-AGD,<br>30-9000,<br>322-5,<br>513341,<br>519755,<br>908019P,<br>N/A     | Bolt - Hex HD 5/16-18 x 1    | 1       |                |
| 53      | R75-1710     | 75-1710                                                                                                    | Rod - Support Cutting Unit   | 1       |                |
| 54      | R82-6540     | 100-6193,<br>100-6194,<br>82-6540,<br>82-6540-03                                                           | Frame - Carrier Cutting Unit | 1       |                |
| 55      | R67-1750     | 67-1750                                                                                                    | Bushing - 1 Long             | 2       |                |
| 62      | R251-77      | 251-77                                                                                                     | Collar - Bearing             | 2       |                |
| 63      | R93-6688     | 93-6688                                                                                                    | Decal - Warning              | 1       |                |
| 64      | R82-6510     | 82-6510,<br>82-6510-01                                                                                     | Support - Right Hgt of Cut   | 1       |                |
| 65      | R82-6530     | 82-6530,<br>82-6530-01                                                                                     | Support - Left Height of Cut | 1       |                |
| 71      | R82-6570     | 82-6570                                                                                                    | Shaft - V-Cut                | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces Toro Reelmaster 5400D Parts

*Dethatching Unit - Model 03516*

*Dethatching Reel & Frame*



| Item No | R&R Part No.    | OEM Part No.                                                                    | Description                     | Qty Req | Order Quantity |
|---------|-----------------|---------------------------------------------------------------------------------|---------------------------------|---------|----------------|
| 72      | <b>R82-6600</b> | 82-6600,<br>94-5889                                                             | Spacer - V-Cut                  | 23      |                |
| 73      | <b>R17-1600</b> | 17-1600                                                                         | Spacer - V-Cut Reel 1/4         | 2       |                |
| 74      | <b>R3220-18</b> | 3220-18,<br>67-5840                                                             | Nut - Jam V-Cut Shaft           | 1       |                |
| 75      | <b>R77-0340</b> | 77-0340                                                                         | Nut - Splined Reel              | 1       |                |
| 75      | <b>R93-1394</b> | 93-1394                                                                         | Nut - Splined RH Thrd .812 Long | 1       |                |
| 76      | <b>R82-6820</b> | 82-6820                                                                         | Spacer - Bearing                | 2       |                |
| 77      | <b>R82-6630</b> | 82-6630,<br>82-6630-01                                                          | Bracket - RH Height of Cut      | 1       |                |
| 78      | <b>R82-6650</b> | 82-6650,<br>82-6650-01                                                          | Bracket - LH Height of Cut      | 1       |                |
| 79      | <b>R71-1360</b> | 251-219,<br>251-253,<br>251-254,<br>251-320,<br>71-1360,<br>88-7880,<br>94-3405 | Bearing                         | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.